

DELIGHT CAMPING 2.4 X 4.3 M



PRODUCT DESCRIPTION

Forget the tent and avoid the hassle with a comfortable Camping getaway! The stylish Delight Camping designed to be spacious and attractive. As option you can have free standing furniture and product will be with 2 separate bedrooms.

More about specifications

Roof:

- Roofing: bitumen weld coating and shingles (color: black, red, green);
- Frame from 38 mm spruce wood;
- On the sides - drip profile;
- 2.50 m high / 8 degree slope.

Floor material:

- Solid wood floor boards 18 mm;
- Laths 25 x 45 mm;
- Frame from spruce 38 mm;
- Base support 160 mm.

Wall: spruce wood 38 mm with tongue and groove profile.

Windows and doors:

- Delight Camping door with a lock and big tempered glass window (450 x 1550 mm);
- Round window in a back wall, of size: Ø 95 cm.

Inside: 1st room size is 5.28 m²; 2nd room size: 3.11 m².



SPECIFICATION

People	6-8 persons
Timber	Spruce
Shape	Oval
Room	2
Inside area	5.6 m ²
Total height	2500 mm
Floor thickness	18 mm
Roof thickness	38 mm
Wall thickness	38 mm
External dimension	4300 x 2400 x 2480 mm
Door size	690 x 1800 mm
Window size	Ø 950 mm

STANDARD SET

"Delight camping" is made from spruce wood;
Roof covered with bitumen shingles of your selected color: black, red, green;
3 stainless steel tightening bands;
Door with a lock and a big tempered glass window;
Round window in a back wall, of size: Ø 95 cm;
Inside partition wall without door;
2 pcs of ventilation.

DELIVERY


Size of pallets (LxWxH)	4.3 x 1.2 x 2.55 m
Weight	1200 kg

Delight Camping is delivered to a customer fully **assembled*** or **not assembled**, but fully complete, with detailed assembly instructions and drawings, and packed on a pallet (KIT)*.

**Size of assembled cargo (L x W x H): 4.3 x 2.4 x 2.5 m.*

OPTIONS

AVAILABLE ROOF COLOR



Black shingles



Green shingles



Red shingles

DOORS OPTION

- Delight Camping with the standard door of size 690 x 1800 mm;
- Delight Camping with double doors of size 1300 x 1800 mm (an option).



Standard door



Double doors (as option)

ACCESSORIES



Single bed 800 x 2000 mm





Double bed 1400 x 2000 mm



Table and poufs

DRAWINGS

DELIGHT CAMPING 2.4 x 4.3 M
DRAWINGS




DELIGHT CAMPING 2.4 x 4.3 M
DRAWINGS

FACADES / with optional round window

VIKING
INDUSTRIER

The image displays two technical drawings of the DELIGHT CAMPING 2.4 x 4.3 M unit. The top drawing is a floor plan showing the interior layout, including two beds (800x2000 and 1400x2000), a central table area, and a kitchenette. The bottom drawing is a structural frame plan showing the unit's dimensions and internal layout. Both drawings indicate a width of 4.17m and a height of 2.35m. The floor plan also shows a 1-1 section line and a 0.690m x 1.800m area at the bottom. The structural drawing shows a 2.07m x 2.55m area and a 0.70m x 1.50m area, with a 1-1 section line and a 0.690m x 1.800m area at the bottom.

FOUNDATION



It is very important to have a proper base for your Delight Camping. Therefore, we recommend following our sketches and consulting a qualified local builder or engineer. Making sure that the base for your product fits the location is of utmost importance.

Due to an improper base, the structure may crack. If the product is unevenly seated, the geometric shape of the building may change, which can result in the door/windows twisting, and/or gaps. In the worst-case scenario, the product may even collapse.

- Before building the base, make sure you take into account the landscape and the ground conditions on which the product will stand.
- The base under the product must be prepared specifically for the product.
- The base must be homogeneous, tight and level.
- Make sure that the properties of the base do not change over time. We recommend making the base out of concrete and water-proofing it before installation.


If you do not follow recommendations for building the base, the product will lose its warranty!

PAINTING


COLOR CARD

EXTERIOR WOOD STAIN COLORS

Water-based, quick drying premium total protection for wood outside.
Thin layer varnish – 3 in 1: impregnation, primer, and varnish!




PINE / LARCH RC260




TEAK RC545




CHESTNUT RC555



FIR GREEN RC960




MAHAGONY RC565



PALISANDER RC720




SILVER GREY RC970



NUT WOOD RC660



PINE RC270



RUSTIC OAK RC360




LIGHT OAK RC365




HEMLOCK RC120



WHITE RC990



EBONY RC790



SALT GREEN RC965

PLEASE NOTE: The colors shown in the catalogue and website may not 100% match the color you will receive.
The color of the wood material affects the final color.

PAINTING


COLOR CARD

EXTERIOR WOOD PAINT COLORS


Weather protection, water-based paints. High-performance and environmentally friendly.



WHITE / RAL 9016




ANTRACITE GREY / RAL 7016



LIGHT GREY / RAL 7035



DUSTY GREY / RAL 7037



OXIDE RED / RAL 3009



JET BLACK / RAL 9005



MOSS GREEN / RAL 6005



AZURE BLUE / RAL 5009



GREY BROWN / RAL 8019



BROWN RED / RAL 3011

PLEASE NOTE: The colors shown in the catalogue and website may not 100% match the color you will receive. The color of the wood material affects the final color.

PAINTING

AUTOMATIC MACHINE SPRAY TECHNOLOGY

Benefits

One of the main and most obvious benefits of using a paint machine is the speed and flexibility at which we can suggest our painting service for all of our products. A spray paint machine can get the work done faster and more consistently than manually painting. While the machine works faster, it improves quality too – sprayers produce an even coat of paint, leaving a high-quality finish. With our painting service from now, we can suggest to our client maximum flexibility! Not assembled products such as Grill cabins, Pavilions, Camping pods, and other products of any size you can order painted too!

PROFESSIONAL SPRAY

The high-quality preservative finish is professionally spray applied in the factory to three sides of the wood. The product is treated in your choice of color. You can choose two colors for one product: one for almost all product details and another for finishing details.

STAIN | PAINT

Which type of paint should I Use?

Properly painting and impregnating is one of the most important things to consider when thinking about how to extend your product's lifetime. Paint and natural wood finish instantly spruce up the aesthetics of your product. The decision you will need to make is if you want to use a water-based wood stain or paint. Both will offer you UV protection. The wood stains will allow the texture of the wood to show through and many are now available in a vast range of colors, however, paints will give you an intensive color, but will cover the grain and texture of the wood.

USAGE AND MAINTENANCE

Things to note when using the product:

- Products that are used for staying overnight should be equipped with a smoke alarm and an extinguisher;
- The product owner is responsible for the security and should work out a rescue plan for the camping site;
- Remember that using heating appliances or temporary camping stoves isn't just a fire risk, but a risk of carbon monoxide poisoning as well.

MAINTENANCE. You should not forget that wood is a natural material, it changes move depending on weather conditions. Large and small cracks, color tone differences and changes, as well as a changing structure of wood are not errors, but a result of wood growing and a feature of wood as a natural material. Natural wood (not impregnated) becomes greyish after having been left untouched for a while and can be turned blue and become mouldy. You should immediately process them with wood impregnations to protect the wooden details of our produced products.

- Like any our product, our produced furniture's needs to be looked after and processed with a wood impregnation agent or painted if you want it to last for years. Regular cleaning of your furniture is necessary to prevent mould. General warm soapy water is enough if done regularly;
- If necessary, outside doors must be adjusted by the customer;
- If you do not use your Camping Product often we highly recommend to use the installation of our vent to stop condensation;
- If you find a sap pocket open during the life of your Product - you can allow it to dry naturally and then cut the sap off with a blade.



Misko 25, LT-85302 Venta, Lithuania
info@vikingindustrier.com

www.vikingindustrier.com